
# LAMARTY®

# BIRCH WOOD SKIN FEEL PANEL

## **LAMARTY BIRCH WOOD SKIN FEEL PANEL**

The core material of the product is European birch plywood, with 1.5mm thick fireproof boards on both the top and bottom layers.

The top layer is coated with a UV coating, and the surface of the panel is irradiated with 172-nanometer semi-transparent molecular light to cure and shrink the uncured paint. This process not only provides a skin-like texture but also makes the surface more durable and sturdy.



## **Product Specifications**



Length x Width x Thickness(mm)

2440/3050 x 1220 x 9/18





LMQ8001 Ink Matte



LMQ8004 Classic Gray



LMQ8007 Galaxy Gray



LMQ8010 Pearl White



LMQ8002 Rouge





LMQ8008 Blue Gray



LMQ8009 Volcanic Ash

LMQ8003

LMQ8006

Brown

Hermes Orange



LMQ8011 Silver White



LMQ8012 Mocha Gray

# **Product Advantages**



#### **High-Quality Core Material**

The product core is made from European birch plywood, offering strong resistance to deformation and excellent structural stability, ensuring long-term reliability during use.



#### **Thermal Repairability**

By using a hot towel or other high-temperature items, minor scratches can be repaired, helping to maintain the board's shape and keeping it looking new for a longer period, enhancing the overall home experience.



#### **Fire Resistance**

Both the top and bottom layers use 1.5mm thick fireproof boards, significantly enhancing the product's fire safety and effectively reducing the risk of fire hazards.



#### **Nano Coating**

The 172-nanometer UV coating creates a smooth, wrinkle-free surface with a fine texture at the nano level, offering stronger fingerprint resis- tance.



#### **Eco-friendly Materials**

The selection of European birchplywood and fireproof boards meets en- viron-mental standards, and the pr- oduction process releases no harmful substances, ensuring a healthy and safe environment for use.



#### **Durability**

The UV coating and semi-transparent molecular curing technology make the surface stronger, more resistant to scratches and wear, and extend the product's lifespan.





SCS Global Services does hereby certify that an independent audit has been completed and conformity to the applicable

# **Shanghai Lamarty Decoration Materials**

Co., Ltd.

No. 9284, Xinge Road, Xinqiao Town, Songjiang District, Shanghai City, Zhejiang, China

This single certificate covers the production of finger jointed wood, glued laminated timber and parts of furniture using the transfer system.

The facility(s) are hereby Chain of Custody certified to sell products as:

#### FSC 100%, FSC Mix

The assessment has been conducted by SCS Global Services in accordance with the protocols of the Forest Stewardship Council® A.C. (FSC®).

FSC Standard: FSC-STD-40-004

Certificate Code: SCS-COC-700320

Trademark License Code: FSC-C200732

Valid from: 22/04/2024 Expiry date: 21/04/2029



2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

**FSC** 

FSC® A000521



#### **Certificate of Registration**

This is to certify that

#### Jiangsu Buywin Co., Ltd.

江苏百闻国际展览装饰工程有限公司

"the certified site" has been certified in accordance with the requirements of the Forest Stewardship Council® A.C. using the FSC® Chain of Custody standards\* and that Jiangsu Buywin Co., Ltd. of

No. 91 Baixia Road, Baixia District, Nanjing City, Jiangsu Province, CHINA

is hereby licensed to use the FSC Logo on and sell as FSC certified all products listed on the attached FSC product schedule as FSC Mix; FSC 100%.

#### Certificate Registration SA-COC-015102 Code: Issue Number 1.0

FSC-C206378

Soil Association Certification Limited Spear House, 51 Victoria Street Bristol BS1 6AD

United Kingdom

Issue Date: 06 August 2024

Valid until the Renewal 05 August 2029

Signed on behalf of Soil

Certification

Meriel Robson Meriel Robson, Director of Forestry

This certificate is based on audit by BCC. Inc. (CNCA-R-2002-016 granted by CNCA)







The mark of responsible forestry

